# Get It Soldered

Weller Efficiency — the most powerful station in its class



Weller®

### Get it **soldered**

Just switch on the new WE station and start soldering. Weller introduces a new soldering station designed for education, advanced hobbyists and professional users.



### ADVANTAGES AT A GLANCE


### Powerful, user friendly and cost-efficient

- Powerful with 70 W gets your soldering job done faster
- > Easy to handle high performance iron
- > Intuitive navigation
- > Low total cost of ownership

### Maximum reliability and protection

- ESD safe station, iron, and heat-resistant silicon cable for safe handling
- Reinforced safety rest for secure iron storage
- Temperature stability
   (+/- 4°F, 2°C) and
   temperature lock protects tips
   and components, affording
   a consistently high quality
   process with repeatable
   soldering results
- Standby mode and auto setback conserves energy, protects equipment
- Password-protected to preserve settings

2 | WE SOLDERING STATION



# Get it **soldered** with the WE soldering station...



### Gets your soldering job done faster

 Digital 70 W soldering station, 40% more powerful than existing 50 W stations in the same category.
 This allows the iron to heat up fast and to provide a fast recovery time – gets the job done quicker with more efficiency and precision.



### Easy to handle high performance iron

New high performance 70 W soldering iron with an ergonomic handle and easy toolless tip change solution:

- > The iron was designed in a light weight pencil style with a co-molded grip.
- > The new and improved safety rest has additional support so that the iron is stored securely in place in between use.




### Intuitive navigation

- > The station is designed in a state-of-the-art housing with front panel power switch for easy access.
- The digital WE soldering station features an easy-toread LCD screen with 3 push buttons providing easy temperature control, a front switch for easy on/off and intuitive navigation through all new SW features.



### Easy tip change and low total cost of ownership

- > Change hot tips out by hand by twisting the plastic knurled nut on the soldering pencil without an additional tool.
- > The soldering set and the genuine Weller ET series tips provide the best performance and an extraordinary lifetime.
- Choose from a wide selection of existing high quality, affordable, genuine Weller ET tips. Here's where the station starts to pay for itself.



### ...with improved features



#### Safe handling

- > ESD safe
- Both station and iron have passed inspection and have received a Certificate of Compliance for electrical safety (CE, UL)
- The flexible silicon cable withstands heat because it meets the highest industry standards for mechanical strength (overload/stress). Because it's certified ESD safe, the WE station can be used for professional use.



#### **Temperature stability**

- > +/- 4°F, 2°C (even better than MIL Spec)
- Temperature lock stabilizes heat levels to protect tips and components and aid in producing uniformly high quality solder joints - reliable and repeatable soldering results



#### Standby mode

> Station automatically powers down to a given temperature when not in use



#### **Automatic set-back**

 Sets temperature back automatically when not in use to save energy and increase tip lifetime



#### Password-protected

 All settings can be secured with a password, so that predefined settings can be maintained in order to ensure process quality

4 | WE SOLDERING STATION

### **ET** soldering tips



#### Chisel


| Α | = | Width mm     |  |
|---|---|--------------|--|
| R | _ | Thickness mm |  |

| = | HIICKHESS IIIIII |  |
|---|------------------|--|
| = | Length mm        |  |

| C                              | B   |     |      |                |                               |
|--------------------------------|-----|-----|------|----------------|-------------------------------|
| Model                          | Α   | В   | С    | PU             | Order No.                     |
| ET A                           | 1.6 | 0.7 | 34.5 | 1<br>10<br>100 | 4ETA-1<br>4ETA-10<br>4ETA-100 |
| ET B                           | 2.4 | 0.8 | 34.5 | 1<br>10        | 4ETB-1<br>4ETB-10             |
| ET C                           | 3.2 | 0.8 | 34.5 | 1<br>10<br>100 | 4ETC-1<br>4ETC-10<br>4ETC-100 |
| ET D                           | 4.6 | 0.8 | 34.5 | 1<br>10        | 4ETD-1<br>4ETD-10             |
| ET DS<br>SOLDERING TIP<br>50MM | 4.6 | 0.8 | 34.5 | 1              | 4ETDS-1<br>4ETDS-10           |
| ET E                           | 5.6 | 1.2 | 34.5 | 1<br>10<br>100 | 4ETE-1<br>4ETE-10<br>4ETE-100 |


| Model | Α   | В   | С    | PU             | Order No.                     |
|-------|-----|-----|------|----------------|-------------------------------|
| ET HL | 0.8 | 0.4 | 34.5 | 1              | 4ETHL                         |
| ET L  | 2.0 | 1.0 | 43.5 | 1<br>10<br>100 | 4ETL-1<br>4ETL-10<br>4ETL-100 |
| ET M  | 3.2 | 1.2 | 43.5 | 1<br>10        | 4ETM-1<br>4ETM-10             |
| ET R  | 1.6 | 0.7 | 34.5 | 1<br>10        | 4ETR-1<br>4ETR-10             |
| ET KL | 1.2 | 8.0 | 44   | 1              | 4ETKL                         |
| ET SL | 0.3 |     | 43.5 | 1              | 4ETSL                         |

#### Round



| Model | Α   | В | С    | PU       | Order No.            |
|-------|-----|---|------|----------|----------------------|
| ET CS | 3.2 |   | 34.5 | 1<br>100 | 4ETCS-1<br>4ETCS-100 |
| ET F  | 1.2 |   | 34.5 | 1<br>10  | 4ETF-1<br>4ETF-10    |
| ET P  | 8.0 |   | 34.5 | 1<br>10  | 4ETP-1<br>4ETP-10    |


#### Conical



| Measuring tip    |     |   |    |    |                |
|------------------|-----|---|----|----|----------------|
| Model            | Α   | В | С  | PU | Order No.      |
| ET Measuring tip | 0.5 | - | 30 | 1  | T005 24 750 99 |
|                  |     |   |    |    |                |

| Model | Α   | В | С    | PU       | Order No.            |
|-------|-----|---|------|----------|----------------------|
| ET CS | 3.2 |   | 34.5 | 1<br>100 | 4ETCS-1<br>4ETCS-100 |
| ET F  | 1.2 |   | 34.5 | 1<br>10  | 4ETF-1<br>4ETF-10    |
| ET P  | 8.0 |   | 34.5 | 1<br>10  | 4ETP-1<br>4ETP-10    |

#### **Gullwing tip**



### Get started with the WE station

This station is developed especially for education and as entry level professional station. It has many of the software features as our professional stations, plus is easy and economical to use.







#### **Technical Data**

| Dimensions L x W x H  | 150 x 125 x 100 mm<br>5.91 x 4.92 x 3.94 inches |
|-----------------------|---|
| Power supply          | 230 V / 50 Hz; 120 V / 60 Hz                    |
| Power                 | 70 W  |
| Temperature range     | 200°F-850°F; 100°C-450°C                        |
| Temperature accuracy  | +/- 17°F , 9°C                                  |
| Temperature stability | +/- 4°F , 2°C                                   |
| ESD safe              | yes   |
| Supplied tip          | ETA   |
|                       |   |

### Weller

| Applications*   |  |
|---|--|
| <ul> <li>Easy professional soldering jobs</li> <li>PCBs</li> <li>Electronic kits</li> <li>Education</li> <li>Radio-controlled</li> <li>Indoor lighting</li> <li>Low-voltage wiring</li> <li>Cable assembling</li> </ul> | <ul> <li>› Hobby models</li> <li>› Small appliance</li> <li>› Small engine</li> <li>› Repair</li> <li>› Crafts</li> <li>› Audio systems</li> <li>› Electrical</li> </ul> |
|   |  |

Recommended
 Acceptable

\*NOT RECOMMENDED FOR: micro-components, marine, automotive, heat sink, ground plane, metal art, plumbing, jewelry

#### **WE Soldering Station Kit**

| Order no.   | Description  |
|-------------|--|
| T0053298699 | WE1 STATION 230V WEP70 SOLDERING IRON PH70 SAFETY REST WITH SPONGE ETA TIP 0.062" / 1.6 MM SCREWDRIVER |

#### Accessories

| Order no.   | Description                  |
|-------------|------------------------------|
| T0058770714 | WEP70 TIP RETAINER           |
| T0058770715 | WEP70 SOLDERING IRON         |
| T0058770706 | PH70 SAFETY REST WITH SPONGE |
| TC205       | SPONGE REPLACEMENT           |
|             | ET SERIES TIPS               |







Also offering an extensive selection in professional filtration and Erem® and Xcelite® precision tools

## Weller®

#### **GERMANY**

Weller Tools GmbH Carl-Benz-Straße 2 74354 Besigheim

Tel: +49 (0) 7143 580-0 Fax: +49 (0) 7143 580-108

#### CHINA

Apex Tool Group 2nd Floor, Area C, 177 Bibo Road, Pudong, Shanghai, 201203

Tel: +86 (21) 60880288 Fax: +86 (21) 60880298

#### USA

Apex Tool Group, 670 Industrial Drive Lexington SC, 29072

Tel: +1 (800) 688-8949 Fax: +1 (800) 234-0472

#### www.weller-tools.com