



WTHA1

Item No: T0053174599

Compact. Powerful. Versatile.

Boost your productivity

Discover the 900W hot air station - precision, power and control

Experience unrivalled power with the 900W hot air station that delivers up to 100L/min of hot air. The multi-function LCD display provides a detailed overview of all functions, adjustable lighting and a power indicator to monitor performance in real time. Customize your work with up to 5 presets for volume, temperature and time, or run them in sequence in profile mode. Enjoy the flexibility of the 90cm heat-resistant silicone tube and take advantage of the new dual sensor tandem control for superior performance. Precision, power and control

KEY FEATURES

- + 900 W Hot air station for simple repair and heating tasks
- + Multi-function LCD Screen
Unique LC display with a detailed overview of all functions. Adjustable background illumination. Power bar graph allows visual monitoring of the output power from the station to the hot air pencil.
- + New Menu Button
Provides the ultimate user friendly access to

and navigation of the menu structure

- + **Stackable Units**
The WT soldering stations can be stacked on the WTHA 1 hot air station saving space on the workbench.
- + **5 Pre-Sets / Temperature Profile**
Up to 5 pre-sets are available to define volume, temperature and time settings. With the profile mode activated, the pre-sets can be run in a selected sequential order.
- + **New Control System**
Tandem control with a dual sensor system for twice the performance.
- + **High Power**
900 Watts, with up to 100 l / min expanded hot air.
- + **Unit inkl. safety rest and fixed hot air iron**
- + **900 W Hot air station for simple repair and heating tasks**
Modern and intuitive operational concept thanks to clear menu structure
Reduced footprint thanks to stackability
Electronical controlled temperature
Accurate adjustment of hot air through brushless turbine
Up to 5 pre-sets which can be automatically run in a profile
Housing cover useable as storage
Unit inkl. safety rest and fixed hot air iron
OFF time, Prozess window, Lock function, Offset
- + **900 W Hot air station for simple repair and heating tasks**
Modern and intuitive operational concept thanks to clear menu structure
Reduced footprint thanks to stackability
Electronical controlled temperature
Accurate adjustment of hot air through brushless turbine
Up to 5 pre-sets which can be automatically run in a profile
Housing cover useable as storage
Unit inkl. safety rest and fixed hot air iron
OFF time, Prozess window, Lock function, Offset

TECHNICAL DATA

Dimensions L x W x H	210 x 160 x 125 mm
Air Input/Output	20 °C / 5 - 60 l/min 300 °C / 5 - 110 l/min
Capacity (l/min)	5 - 60 l / 20°C 5 - 110 l / 300°C
ESD Safe	Yes
Fuse	230V (mA)/T4A
Noise level (distance 1 m) dB(A)	56 dbA
Mil-Spec	Yes
Power Consumption	750 (900) W
Temperature Accuracy °C	± 30°C
Temperature Accuracy °F	± 54°F
Temperature Range °C	50 - 600 °C
Temperature Range °F	120 - 1100 °F
UPC	4003019449514
Voltage	230 V / 50 Hz
Weight (Catalog)	1.95 kg
Product Family	Rework, Hot Air, Desoldering Stations