



ZeroSmog Guard 2 120 V

Item No: FT91022299

ZeroSmog Unit Guard 2, 120 V

1 x main filter (HEPA H13 and Activated Carbon + Potassium Permanganate)

5 x ePM1-75% prefilters

KEY FEATURES

- +** Highest level filtration – for cleaner and healthier air

 - High efficiency particle and gas filtration
 - Odour removal during soldering
 - Powerful blower maintains suction pressure throughout the filter's life
 - High flow rate to collect all the smoke
 - Filter condition monitoring to ensure timely filter change
 - Bright light bar indicates status of the extraction unit
 - Quiet - lowest noise level on the market – less than 55dB
 - Easy main and pre-filter change
 - Low maintenance
 - Easy-to-reach on/off switch
 - ESD safe
 - Retains Weller Easy-Click 60 Hose system
- +** Clean & Healthy Air

Provides superior air quality through high-efficiency filtration of soldering particles and gases with a large filtering surface (H13 HEPA particle filter, activated carbon).
- +** Superior Experience

Lowest noise level on the market ensures a healthy, pleasant, and comfortable working environment.
- +** Quick and Easy Filter Change

Ensures user convenience with fast, hassle-free replacements of both, prefilter and main filter.
- +** Compact Design

Saves space with a compact, under-the-bench design ideal for single-user use.
- +** Powerful Extraction

The robust blower maintains sufficient suction pressure throughout the filter's life, ensuring a high flow rate to capture all smoke effectively.
- +** Maximum Control

Filter condition monitoring to ensure timely changes, as a full filter cannot clean the air effectively.
- +** ZeroSmog Unit Guard 2, 120 V

 - 1 x main filter (HEPA H13 and Activated Carbon + Potassium Permanganate)
 - 5 x ePM1-75% prefilters

TECHNICAL DATA