

WHG1 ESD Heat Gun, 2300W / 230V, EU

Item No: T0053101699
Professional Heat Gun

A Heat Gun that works as hard as you.
Weller's Swiss-engineered Professional Heat Gun with LCD Display delivers outstanding performance, convenience, and ease of use. Featuring fully digital temperature and airflow control, it allows users to create and store up to five application-specific presets with exceptional precision. A fully customizable working window enables users to stay within set working parameters.

The heat gun offers fast heat-up times, and ESD-safe housing, integrated overheat protection, and more than 1000 hours of service life for reliable operation in demanding environments. Its ergonomic design ensures comfortable handling and reduces fatigue, while the integrated stand supports hands-free operation. A wide range of optional nozzles provides flexibility for specific applications.

Integrated energy-saving modes help reduce operating costs while keeping the tool ready for use. Experience the precision, flexibility, and performance

of Swiss engineering with Weller’s WHG1 & WHG1 ESD Professional Heat Guns for manufacturing, maintenance, and rework applications.

KEY FEATURES

- ESD-Safe Housing
- 1.000+ Hour Lifetime – engineered for longevity in tough working environments
- Ergonomic Grip and Perfect Balance – for a less straining work experience and fewer downtimes
- Energy Saving Modes - keep the Heat Gun ready to work while reducing energy consumption.
- Ceramic Heating Element - for a long-lasting high heat performance
- 2.300 W power for demanding tasks
- Precise Digital Controls - Full Flexibility and precision for demanding and complex tasks
- Cool-down Mode - For the protection of your Heat Gun's internal components
- 67 dB(A) Noise emission – low noise for a more pleasant working environment
- Integrated vertical stand – keeps hands free for demanding tasks

A heat gun that works as hard as you.



TECHNICAL DATA

ESD Safe	Yes
Noise level (distance 1 m) dB(A)	67 dB(A)
Power Consumption	2.300 W
Temperature Range °C	80-650 °C
Temperature Range °F	180-1200 °F
UPC	037103447357
Voltage	230V (50/60 Hz)
Weight (Catalog)	750 g
Product Family	Hot Air Guns