



The MG 100 fume extraction unit is suitable for applications with a high demand of gases.

The unit could be equipped with special MEK, Solvent or Cleanroom filter.

The variable speed and the alarm function for filter exchange can be set via the remote control. To make installation easier the MG 100 can be suspended at the work bench with a table mounting set

Item No: 100-1056-ESDN

Fume extraction unit MG 100S with
Kit 2 Funnel

The fume extraction unit is easy to install and operate. It is supplied complete with flexible extraction arms bench mounting valve and inlet funnel. The Kit is ready to place close to the workbench.

KEY FEATURES

- + Unit purifies air at up to 2 workplaces
- + High Gas filter volume
- + Electronic filter control with filter alarm
- + Variable speed setting
- + Minimized foot print
- + Switching power supply 100 – 240 V
- + Optimized filter lifetime
- + The MG 100S kit 1 will be delivered with flexible extraction arm 1 meter, funnel nozzle and valve. The fume extraction unit is suitable for applications with a high demand of gases. Variable speed and alarm function for filter exchange can be set via the remote control. To make installation easier, the MG 100S can be suspended at the work table with special table mounting set (780-3001-ESD).
- + Blower speed can also be changed and filter status checked via the optional extra remote display (p/n 700-3057).

TECHNICAL DATA

Width	210.0 mm
Height	610.0 mm
Length	460.0 mm
Dimensions L x W x H	460.0 x 210.0 x 610.0mm
Compact Filter	Particle filter H13, broadband gas filter (50% activated carbon + 50% Chemisorb)
ESD Safe	Yes
Maximum Blower Vacuum (Pa)	2,300 Pa
Power	100 W
UPC	4003019436101