

WR2000VX Kit 120V

Item No: WR2000VXN
WR2000VX 120 V with WP 80 soldering iron 80 W, WDH 10 safety rest, DXV 80 desoldering iron and WDH 40 safety rest

KEY FEATURES

- Digital Self-Contained Multi-Channel Rework Stations WR 2
- Independent tool channels with automatic tool recognition
- Self contained vacuum and air
- Simultaneous use of multiple tools
- Programmable process control through Special Function menus
- Continuous productivity with no end of cycle hot air cool down time
- Weller Micro-Tools, WMRP & WMRT are not compatible

TECHNICAL DATA

Automatic Tool Identification	Yes
ESD Safe	Yes
Maximum Hot Air Flow Rate l/min (Depends on Tool)	10 l/min
Noise level (distance 1 m) dB(A)	0.7 bar
Number of Channels	2
Power	300 W
Temperature Accuracy °C	± 9°C
Temperature Accuracy °F	± 17°F
Temperature Range (Depends on Tool)	93 °C- 454 °F (200 - 850 °F)
Temperature Stability °C	± 2°C
Temperature Stability °F	± 4°F
Tip Type	DX LT WT
UPC	037103304377
Voltage	120V
Product Family	Rework, Hot Air, Desoldering Stations